

EU Declaration of Conformity

We



PPO-Elektronikka Oy
Kaarelantie 21
004300, Helsinki
+358 9 566 0920
ppo@ppo-elektronikka.fi

declare under our sole responsibility that the following product

Equipment: Device for floating network monitoring.
Monitor insulation state, protective earth continuity and transformer overload.
Brand name: Insulation level monitoring system
Model/type: MEV-8, LC-8, M-8, EV-8, SP-8, FI-8, CU-8 and AG-8

is in conformity with the

RoHS The Restriction of Hazardous Substances Directive 2011/65/EU
LVD, low voltage directive 2006/95/EY
EMC, electromagnetic compatibility 2004/108/EY

and the following harmonised standards and technical specifications have been applied:

EMC: EN 61000-4-2 - ESD
EN 61000-4-3 - RF Radiated - Immunity
EN 61000-4-4 - Fast transients
EN 61000-4-5 - Surge
EN 61000-4-6 - RF conducted - immunity
EN 55022-B - Rated emissions

Other: SFS 6000-7-710 - Requirements for special installations or locations - Medical locations
IEC 60364-7-710 - Requirements for special installations or locations - Medical locations

IEC 61557-8 - Electrical safety in low voltage distribution systems up to 1 000 v a.c. And 1 500 v d.c. - Equipment for testing, measuring or monitoring of protective measures –
Part 8: Insulation monitoring devices for IT systems

IEC 61557-9 - Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c. - Equipment for testing, measuring or monitoring of protective measures –
Part 9: Equipment for insulation fault location in IT systems

Helsinki 4.12.2018

PPO-Elektronikka Oy

A handwritten signature in blue ink, appearing to read 'Timo Ohtonen', written over a horizontal line.

Timo Ohtonen, General manager